

# Heavy Duty Pull Tight Plastic Seal

## Model: OS7011



## Seal Classification

- Indicative Seal
- Load to Failure : >48kgs

## Material

- Double Metal lock mechanisms insert**
- Plastic: Polyethylene (PE) or polypropylene (PP)


## Production standard

- ISO 17712/PAS
- ISO 9001: 2008



# Heavy Duty Pull Tight Plastic Seal

Model: OS7011



Double Metal lock mechanisms insert



The cap is made with fragile material it is easy to be broken once prizing.





# Heavy Duty Pull Tight Plastic Seal

Model: OS7011

## Drawing

The overall length is 385mm

The effective lock length is 265mm



# Heavy Duty Pull Tight Plastic Seal

Model: OS7011

Not welding  
closed by hot melting.

Semi-transparent cap  
made with fragile material

There is a rule here



There is a backbone here



# Heavy Duty Pull Tight Plastic Seal

Model: OS7011


## Printing

[] Laser engraving or hot stamp.

[] Company Logo/Name

[] Sequential number

[] Bar code decoration is also available



## Color

The standard color, any color is possible.



Black White Orange Red Blue Green Yellow



[www.ourseal.com](http://www.ourseal.com)

Security Create Value

# Heavy Duty Pull Tight Plastic Seal

Model: OS7011



## Package

- [ ] 1000pcs per box
- [ ] 5000pcs per carton
- [ ] Net weight: 29kgs
- [ ] Gross weight: 30kgs
- [ ] Measure : 665\*565\*445mm

