

High security Aluminium cable seals

MODEL NUMBER: 6022



Material

- The lock housing is aluminum
- The wire is galvanized cable
- The diameter is 1.5,2.0,2.5,3.5mm.

Seal Classification

- High Security Seal (3.5mm)
- Tensile strength >1080kgs (2380lbs)

Working Temperature

- 50°C to 120°C

Production standard



- ISO 17712/PAS
- ISO 9001: 2008



High security Aluminium cable seals

MODEL NUMBER: 6022



The lock housing size
for diameter 1.5,2.0,2.5 wire



Gift

- We present the Bolt/cable cutter as a gift to you
- there is one piece of cutter if the quantity of security seal is 1000pcs (1.5,2.0,2.5mm).

The lock housing size
for diameter 3.5 wire




The 3.5mm wire end tip is encapsulated free.



High security Aluminium cable seals

MODEL NUMBER: 6022



The wire end tip is encapsulated.
it is not sharp.the wire is scattered.
it is safe for user.




High security Aluminium cable seals

MODEL NUMBER: 6022



Printing


- Laser engraving or pressing .
- Company Logo/Name
- Sequential number
- Bar code and QR CODE decoration is also available



High security Aluminium cable seals

MODEL NUMBER: 6022

The popular color



RED



BLUE



GREEN



PURPLE



BLACK



ORANGE

We also can make the other colors for clients.



High security Aluminium cable seals

MODEL NUMBER: 6022

Package

- [] 1000pcs per carton
- [] Net weight: 18.0kgs
- [] Gross weight: 19.0kgs
- [] Measure : 35*260*170mm

