

# Ring antispin cable seals

**MODEL NUMBER: 6605**



## Seal Classification

- [] Security Seal
- [] Tensile strength > 225kgs

## Material

- [] The lock housing is iron and covered with ABS
- [] The wire is galvanized cable
- [] The standard wire is 1.8\*220mm.
- [] It has antispin feather. not rotated.

## Working Temperature

- [] -50°C to 120°C


## How to open it ?

- [] Cut the metal wire.




# Ring antispin cable seals

MODEL NUMBER: 6605



# Ring antispin cable seals

**MODEL NUMBER: 6605**




It has antispin feather  
the pin can not be rotated.



# Ring antispin cable seals

**MODEL NUMBER: 6605**



## Printing

- Laser engraving or pressing.
- Company Logo/Name
- Sequential number
- Bar code /QR code decoration is also available

## Production standard

- ISO 17712/PAS
- ISO 9001: 2008





# Ring antispin cable seals

**MODEL NUMBER: 6605**

We can make it with any color,  
but if you want good readable bar code, the color must be white or yellow.

## Color

The standard color



# Ring antispin cable seals

**MODEL NUMBER: 6605**

## Package

- [ ] 1000pcs per carton
- [ ] Net weight: 16.5kgs
- [ ] Gross weight: 17.5kgs
- [ ] Measure: 350\*260\*170mm

