


Pull tight Zinc coated with plastic cable seals

MODEL NUMBER: 6625



Seal Classification

- Security Seal
- Load to Failure : >550kgs

Material


- Galvanized NPC Cable \varnothing 2.5mm and 300mm long.
- Any length is available.
- Lock housing: Zinc coated with plastic ABS
- metal wheel lock insert



Pull tight Zinc coated with plastic cable seals

MODEL NUMBER: 6625

Drawing



Pull tight Zinc coated with plastic cable seals

MODEL NUMBER: 6625




The NPC wire is auto-scattered after cutting.



Pull tight Zinc coated with plastic cable seals

MODEL NUMBER: 6625



Printing

- Laser engraving
- Company Logo/Name
- Sequential number
- Bar code /QR code decoration is also available

Production standard

- ISO 17712/PAS
- ISO 9001: 2008



Pull tight Zinc coated with plastic cable seals

MODEL NUMBER: 6625

Any color is possible, Pantone color standard is no problem.
If the color is dark. we print the bar code by laser in white.



Pull tight
Zinc coated with plastic cable seals

MODEL NUMBER: 6625

Package

- [] 1000pcs per outer carton
- [] Net weight: 20.5kgs
- [] Gross weight: 21.5kgs
- [] Measure : 350*260*170mm

